

Page: 1/20

Revision nr: 9.0

Issue date: 25/07/2025

Propane

Supersedes: 11/08/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier <u>1.1.</u>

Product form : Substance Trade name/designation : Propane **EC Index** : 601-003-00-5 EC-No. : 200-827-9 CAS-No. : 74-98-6

REACH registration No. : 01-2119486944-21-0042

Formula : C3H8

Product group : Trade product

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses 1.2.1.

: Industrial use, Professional use Main use category

Use of the substance/mixture : Fuels

Propellant

Use in blowing agents

monomer Formulation Distribution

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet <u>1.3.</u>

Supplier

NIS a.d. Novi Sad Narodnog Fronta 12 21000 Novi Sad Serbia

T + 381 (0) 21 481 1111 REACHNIS@nis.rs

BENS Consulting d.o.o. Špruha 19

1236 Trzin Slovenija

T +386 41 979 800

Only Representative

info@bens-consulting.eu

1.4. Emergency telephone number

+ 381 (0) 21 481 1111 **Emergency number**

Only available during office hours.

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	



Page: 2 / 20

Revision nr: 9.0

Issue date : 25/07/2025

Propane

Supersedes: 11/08/2022

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable gases, Category 1A H220 Gases under pressure : Liquefied gas H280

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS04

Signal word : Danger

Hazard statements (CLP) : H220 - Extremely flammable gas.

H280 - Contains gas under pressure; may explode if heated.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 - In case of leakage, eliminate all ignition sources.

P410+P403 - Protect from sunlight. Store in a well-ventilated place.

Listed on CLP Annex VI : EC Index-No.: 601-003-00-5

2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment : This substance does not meet the

PBT/vPvB criteria of REACH, annex XIII.

The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

 Substance name
 : Propane

 CAS-No.
 : 74-98-6

 EC-No.
 : 200-827-9

 EC Index
 : 601-003-00-5



Page : 3 / 20

Revision nr: 9.0

Issue date : 25/07/2025

Propane

Supersedes: 11/08/2022

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propane	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index: 601-003-00-5 REACH-no: 01-2119486944- 21-0042	≤ 100	Flam. Gas 1A, H220 Press. Gas (Liq.), H280

Full text of H- and EUH-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice : First aider: Pay attention to self-protection!. Concerning personal protective

equipment to use, see section 8. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in

attendance.

Inhalation : Remove casualty to fresh air and keep warm and at rest. Give oxygen or

artificial respiration if necessary. In case of doubt or persistent symptoms,

consult always a physician.

Skin contact : In case of frostbite, wash with plenty of water; do not remove clothing.

Wash contaminated clothing before reuse. Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or

persistent symptoms, consult always a physician.

Eyes contact : Rinse immediately carefully and thoroughly with eye-bath or water. Remove

contact lenses, if present and easy to do. Continue rinsing. In case of doubt

or persistent symptoms, consult always a physician.

Ingestion : Rinse mouth immediately and drink plenty of water. Get medical

advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation : May cause respiratory irritation.

Skin contact : Can cause frostbite.

Eyes contact : Causes frostbite burns to eyes.

Ingestion : Ingestion is not considered a potential route of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.

Unsuitable extinguishing media : Strong water jet.



Page: 4/20

Revision nr: 9.0

Issue date: 25/07/2025

Propane

Supersedes: 11/08/2022

5.2. Special hazards arising from the substance or mixture

Specific hazards : Extremely flammable gas. Contains gas under pressure; may explode if

> heated. Vapours may form explosive mixture with air. Vapours are heavier than air and may spread along floors. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of

vapours. Container may explode if heated.

Hazardous decomposition products in case: Carbon oxides (CO, CO2).

of fire

5.3. Advice for firefighters

Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers.

Contain the extinguishing fluids by bunding. Prevent fire fighting water from

entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-

contained breathing apparatus.

Other information : Do not allow run-off from fire-fighting to enter drains or water courses.

Dispose of waste in accordance with environmental legislation.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures <u>6.1.</u>

6.1.1. For non-emergency personnel

For non-emergency personnel : Evacuate unnecessary personnel. Keep upwind. Provide adequate

> ventilation. Do not breathe gas. Avoid contact with skin, eyes and clothing. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof equipment. Ensure equipment is adequately earthed. Use only non-sparking tools. Beware of vapours accumulating to form explosive

concentrations. Vapours can accumulate in low areas.

6.1.2. For emergency responders

For emergency responders : Ensure procedures and training for emergency decontamination and

disposal are in place. Concerning personal protective equipment to use, see

section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so. Leave evaporate and disperse. Hose down gases,

fumes and/or dust with water. All processes must be supervised by

specialists or authorised personnel. This material and its container must be

disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.



Page: 5 / 20

Revision nr: 9.0

Issue date : 25/07/2025

Propane

Supersedes: 11/08/2022

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Extremely cold liquid and gas under pressure. Causes severe frostbite. Provide adequate ventilation. Do not breathe gas. Avoid contact with skin, eyes and clothing. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ensure equipment is adequately earthed. Use explosion-proof equipment. Keep container tight closed. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment.

Hygiene measures

: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Gases under pressure. Liquefied gas. Keep container tightly closed. Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Take precautionary measures against static discharge.

Incompatible materials

: Strong oxidizing agents. Halogenated hydrocarbons. Nitrogen oxides (NOx). Halogens. fluorinated compounds.

Heat and ignition sources

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight.

Special rules on packaging

: Containers which are opened should be properly resealed and kept upright to prevent leakage. Do not pierce or burn, even after use. Keep in properly

labelled containers.

Packaging materials : Keep only in the original container.

Germany

German storage class (LGK) : LGK 2A - Gases (except aerosol dispensers and lighters)

Switzerland

Storage class (LK) : LK 2 - Liquefied or pressurized gases

7.3. Specific end use(s)

see section(s): 1.2.



Page: 6 / 20

Revision nr : 9.0

Issue date : 25/07/2025 Supersedes : 11/08/2022

Propane

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

propane (74-98-6)		
Austria - Occupational Exposure Limits		
Local name	Propan (R 290)	
MAK (OEL TWA)	1800 mg/m³	
	1000 ppm	
MAK (OEL STEL)	3600 mg/m³	
	2000 ppm	
Regulatory reference	BGBI. II Nr. 156/2021	
Belgium - Occupational Exposure Limits	s	
Local name	Hydrocarbures aliphatiques sous forme gazeuse: (Alcanes C1-C3) # Alifatische koolwaterstoffen in gas-vorm: Alkanen (C1-C3)	
OEL TWA	1000 ppm (gas)	
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023	
Bulgaria - Occupational Exposure Limits	s	
Local name	Пропан	
OEL TWA	1800 mg/m³	
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 28 от 2024 г., в сила от 05.04.2024 г.)	
Denmark - Occupational Exposure Limit	ts	
Local name	Propan (Flaskegas)	
OEL TWA	1800 mg/m³	
	1000 ppm	
OEL STEL	3600 mg/m³	
	2000 ppm	
Regulatory reference	BEK nr 291 af 19/03/2024	
Estonia - Occupational Exposure Limits		
Local name	Propaan	
OEL TWA	1800 mg/m³	
	1000 ppm	
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 02.04.2024, 13)	
Finland - Occupational Exposure Limits		
Local name	Propaani	
HTP (OEL TWA)	1500 mg/m³ (suffocating gas that displaces oxygen)	



Page: 7 / 20

Revision nr: 9.0

Issue date : 25/07/2025 Supersedes : 11/08/2022

Propane

propane (74-98-6)		
	800 ppm (suffocating gas that displaces oxygen)	
HTP (OEL STEL)	2000 mg/m³	
	1100 ppm	
Remark	Happea syrjäyttämällä tukahduttavat kaasut.	
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)	
Germany - Occupational Exposure Limits (TRO	GS 900)	
Local name	Propan	
Occupational exposure limit value (mg/m³) (TRGS900)	1800 mg/m ³	
Occupational exposure limit value (ppm) (TRGS900)	1000 ppm	
Peak exposure limitation factor	4(II)	
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission)	
Regulatory reference	TRGS900	
Greece - Occupational Exposure Limits		
Local name	Προπάνιο	
OEL TWA	1800 mg/m³	
	1000 ppm	
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους	
Ireland - Occupational Exposure Limits		
Local name	Aliphatic hydrocarbon gases Alkanes (C1-C3): Propane	
OEL STEL	3000 ppm (calculated (Aliphatic hydrocarbon gases - Alkanes (C1-C4))	
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values), Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)	
OEL chemical category	Simple asphyxiant	
Regulatory reference	Chemical Agents Code of Practice 2024	
Latvia - Occupational Exposure Limits		
Local name	Propāns	
OEL TWA	1800 mg/m³	
	1000 ppm	
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2024. gada 26. martā noteikumiem Nr. 191).	
Poland - Occupational Exposure Limits		
Local name	Propan	
NDS (OEL TWA)	1800 mg/m³	



Page: 8 / 20

Revision nr : 9.0

Issue date : 25/07/2025 Supersedes : 11/08/2022

Propane

propane (74-98-6)			
Regulatory reference	Dz. U. 2018 poz. 1286 wraz z późn. zm.		
Portugal - Occupational Exposure Limits			
OEL TWA	1000 ppm		
Romania - Occupational Exposure Limits			
Local name	Propan		
OEL TWA	1400 mg/m³		
	778 ppm		
OEL STEL	1800 mg/m³		
	1000 ppm		
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 179/2024)		
Slovenia - Occupational Exposure Limits			
Local name	propan		
OEL TWA	1800 mg/m³		
	1000 ppm		
OEL STEL	7200 mg/m³		
	4000 ppm		
Regulatory reference	Uradni list RS, št. 29/2024 z dne 4. 4. 2024 - Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu		
Spain - Occupational Exposure Limits			
Local name	Propano		
VLA-ED (OEL TWA)	1000 ppm Hidrocarburos alifáticos alcanos (C1 – C4) y sus mezclas, gases (Butano; Etano; Metano; Propano)		
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT		
Iceland - Occupational Exposure Limits			
Local name	Própan (flöskugas)		
OEL TWA	1800 mg/m³		
	1000 ppm		
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)		
Norway - Occupational Exposure Limits			
Local name	Propan		
Grenseverdi (OEL TWA)	900 mg/m³		
	500 ppm		
Korttidsverdi (OEL STEL)	1125 mg/m³ (value calculated)		
	625 ppm (value calculated)		
Regulatory reference	FOR-2023-12-18-2278		



Page: 9 / 20

Revision nr: 9.0

Issue date : 25/07/2025

Supersedes: 11/08/2022

Propane

propane (74-98-6) North Macedonia - Occupational Exposure Limits		
OEL TWA	1800 mg/m³	
	1000 ppm	
KTV	4	
Short time value [mg/m³]	7200 mg/m³	
Short time value	4000 ppm	
Remark	(КТV) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанци во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m3 или во ml/m3(ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност	
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанци ("Службен весник на Република Македонија" бр.46/10)	
Switzerland - Occupational Exposur	re Limits	
Local name	Propane / Propan	
MAK (OEL TWA)	1800 mg/m³	
	1000 ppm	
KZGW (OEL STEL)	7200 mg/m³	
	4000 ppm	
Remark	NIOSH	
Regulatory reference	www.suva.ch, 01.01.2024	
USA - ACGIH - Occupational Exposu	ure Limits	
Local name	Propane	
Remark (ACGIH)	TLV® Basis: Simple Asphyxiant	
ACGIH chemical category	Simple asphyxiant See Appendix F: Minimal Oxygen Content	
Regulatory reference	ACGIH 2024	

8.1.2. Recommended monitoring procedures

Monitoring methods	
1	Personal air monitoring. Concentration measurement in air. Personal air
	monitoring. Room air monitoring.

8.1.3. Air contaminants formed

No additional information available



Page: 10 / 20

Revision nr: 9.0

Issue date : 25/07/2025

Propane

Supersedes: 11/08/2022

8.1.4. DNEL and PNEC

DNEL : NA PNEC : NA

Additional information : Recommended monitoring procedures :. Personal monitoring.

Concentration measurement in air. Personal air monitoring. Room air

monitoring

8.1.5. Control banding

No additional information available

8.2. Exposure controls

Engineering measure(s) : Closed system. Provide adequate ventilation. Use only in area provided with

appropriate exhaust ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Take precautionary measures against static discharge. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Use only explosion-proof equipment. Organisational measures

to prevent/limit releases, dispersion and exposure. See Section 7 for information on safe handling.

Personal protective equipment : The type of protective equipment must be selected according to the

concentration and amount of the dangerous substance at the specific

workplace.

Hand protection : The selection of specific gloves for a specific application and time of use in a

working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves. Suitable material: cold insulating gloves (EN 511). Breakthrough time: refer to the recommendations

of the supplier. Thickness of the glove material: Not determined

Eye protection : Use suitable eye protection (EN166): Safety glasses. During splash contact: face

shield (EN166)

Body protection : Wear suitable protective clothing. Overalls, apron and boots recommended.

Respiratory protection : Use self-contained respiratory apparatus for rescue and maintenance work in

storage vessels. Self-contained open-circuit compressed air breathing apparatus (EN 137). O2- Deficiency: Wear a positive-pressure supplied-air

respirator.

Thermal hazard protection : Use dedicated equipment. Not required for normal conditions of use.

Environmental exposure controls : Avoid release to the environment. Comply with applicable Community

environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Colour : Colourless.

Appearance : Press. Gas (Lig.). liquefied gas.

Odour : Characteristic.

Odour threshold : No data available

Melting / freezing point : -187 - -138 °C



Page: 11 / 20

Revision nr: 9.0

Issue date : 25/07/2025

Propane

Supersedes: 11/08/2022

Freezing point : Not applicable Initial boiling point and boiling range : -161 – -0,5 °C

Flammability : Extremely flammable gas.

Explosive properties : Not applicable. The study does not need to be conducted because there are

no chemical groups associated with explosive properties present in the

molecule.

Oxidising properties : Not applicable. The classification procedure needs not to be applied because

there are no chemical groups present in the molecule which are associated

with oxidising properties.

Lower explosion limit : Not available Upper explosion limit : Not available Flash point : -104 - -60 °C : 460 - 580 °C Auto-ignition temperature Decomposition temperature : No data available : Not applicable рΗ Kinematic viscosity : Not applicable Dynamic viscosity : Not applicable Solubility : Insoluble in water.

Water: 0,024 - 0,061 g/l

Partition coefficient n-octanol/water (Log : < 2,3

Kow)

Vapour pressure : 550 – 1640 kPa (40°C)

Vapour pressure at 50°C : Not available

Density : 0,4228 – 0,589 g/cm³
Relative density : No data available
Vapour density : No data available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosion limits : 1,9 – 15 vol %

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable gas. Reference to other sections: 10.4 & 10.5.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts violently with: Strong oxidizing agents. Acids.



Page: 12 / 20

Revision nr: 9.0

Issue date : 25/07/2025

Supersedes: 11/08/2022

Propane

10.4. Conditions to avoid

Avoid the build-up of electrostatic charge. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight. Exposure to air. See Section 7 for information on safe handling.

10.5. Incompatible materials

Strong oxidizing agents. Halogenated hydrocarbon. Nitrogen oxides (NOx). Halogens. fluorinated compounds. See Section 7 for information on safe handling.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO2). Reference to other sections 5.2.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	 Not classified (Based on available data, the classification criteria are not met)

propane (74-98-6)		
LC50/inhalation/4h/rat		1443 mg/l (Exposure time: 15 min)
LC50/inhalation/4h/rat (ppm)		> 800000 ppm (Exposure time: 15 min Source: ECHA_API)
Skin corrosion/irritation :		Not classified (Based on available data, the classification criteria are not met)

Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not
, 3	met)
	pH: Not applicable

nH: Not applicable

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not

STOT-single exposure : Not classified (Based on available data, the classification criteria are not

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not applicable

Propane (74-98-6)	
Kinematic viscosity	Not applicable



Page: 13 / 20

Revision nr: 9.0

Issue date : 25/07/2025

Propane

Supersedes: 11/08/2022

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

11.2.2. Other information

Other information

: Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties : Ecological injuries are not known or expected under normal use.

Hazardous to the aquatic environment,

short-term (acute)

Hazardous to the aquatic environment,

long-term (chronic)

: Not classified

: Not classified

Propane (74-98-6)	
LC50 - Fish [1]	24,11 – 147,54 mg/l
EC50 - Crustacea [1]	14,22 – 69,43 mg/l
ErC50 algae	7,71 – 16,5 mg/l
NOEC chronic algae	4,5 mg/l

12.2. Persistence and degradability

Propane (74-98-6)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

Propane (74-98-6)		
Partition coefficient n-octanol/water (Log Kow)	< 2,3	
Bioaccumulative potential	No additional information available.	

propane (74-98-6)	
Partition coefficient n-octanol/water	1,09 (at 20 °C (at pH 7)

12.4. Mobility in soil

Propane (74-98-6)	
Mobility in soil	No data available
Ecology - soil	Not applicable.



Page: 14 / 20

Revision nr: 9.0

Issue date : 25/07/2025

Supersedes : 11/08/2022

Propane

12.5. Results of PBT and vPvB assessment

Propane (74-98-6)	
Results of PBT assessment	This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Other adverse effects : No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations. Packaging contaminated by the product: Do not pierce or burn, even after use. Never use pressure to empty container.

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC)

This material and its container must be disposed of as hazardous waste Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
1978	1978	1978	1978	1978
14.2. UN proper ship	ping name			
PROPANE	PROPANE	Propane	PROPANE	PROPANE
Transport document de	scription			
UN 1978 PROPANE,	UN 1978 PROPANE,	UN 1978 Propane, 2.1	UN 1978 PROPANE,	UN 1978 PROPANE,
2.1, (B/D)	2.1		2.1	2.1
14.3. Transport haza	rd class(es)			
2.1	2.1	2.1	2.1	2.1
2			2	
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable



Page: 15 / 20

Revision nr: 9.0

Issue date: 25/07/2025

Supersedes: 11/08/2022

Propane

ADR	IMDG	IATA	ADN	RID
14.5. Environmenta	<u>ıl hazards</u>			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

Special precautions for user

Special precautions for user : No additional information available

- Overland transport

Classification code (ADR) 2F

Special provisions 652, 660, 657, 662

Limited quantities (ADR) Excepted quantities (ADR) E0 P200 Packing instructions (ADR) MP9 Mixed packing provisions (ADR) Portable tank and bulk container (M), T50

instructions (ADR)

Tank code (ADR) PxBN(M) Tank special provisions (ADR) **TA4, TT9**

Vehicle for tank carriage FL Transport category (ADR) 2

Special provisions for carriage -Loading, unloading and handling

(ADR)

Special provisions for carriage -S2, S20

Operation (ADR)

Hazard identification number (Kemler 23

No.)

Orange plates

1978

CV9, CV10, CV36

Tunnel restriction code B/D EAC code 2YE

- Transport by sea

: 0 Limited quantities (IMDG) Excepted quantities (IMDG) : E0 Packing instructions (IMDG) : P200 Tank instructions (IMDG) : T50 EmS-No. (Fire) : F-D : S-U EmS-No. (Spillage) : E Stowage category (IMDG) Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Flammable hydrocarbon gas. Explosive limits: 2.3% to 9.5%. Heavier than air

(1.56).



Page: 16 / 20

Revision nr: 9.0

Issue date : 25/07/2025 Supersedes : 11/08/2022

Propane

Tiopanic

- Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : Forbidden PCA max net quantity (IATA) : Forbidden

CAO packing instructions (IATA) : 200
CAO max net quantity (IATA) : 150kg
Special provisions (IATA) : A1
ERG code (IATA) : 10L

- Inland waterway transport

Classification code (ADN) : 2F
Special provisions (ADN) : 657, 66
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

- Rail transport

Special provisions (RID) : 657, 660, 662

Limited quantities (RID) : 0

Excepted quantities (RID) : E0

Packing instructions (RID) : P200

Mixed packing provisions (RID) : MP9

Portable tank and bulk container : T50(M)

instructions (RID)

Tank codes for RID tanks (RID) : PxBN(M)

Special provisions for RID tanks (RID) : TU38, TE22, TA4, TT9, TM6

Transport category (RID) : 2

Special provisions for carriage - : CW9, CW10, CW36

Loading, unloading and handling (RID)

Colis express (express parcels) (RID) : CE3
Hazard identification number (RID) : 23

14.7. Maritime transport in bulk according to IMO instruments

Code: IBC : No data available.



Page: 17 / 20

Revision nr: 9.0

Issue date : 25/07/2025

Propane

Supersedes : 11/08/2022

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REA	EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description		
40.	Propane ; propane	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Detergent Regulation (648/2004/EC): Labelling of contents

Labelling for contents according to regulation (EC) No. 648/2004

: Not applicable

15.1.2. National regulations



Page: 18 / 20

Revision nr: 9.0

Issue date: 25/07/2025

Supersedes: 11/08/2022 **Propane**

France

Installations classées	Installations classées			
No ICPE	Désignation de la rubrique	Code Régime	Rayon	
4718.text	Gaz inflammables liquéfiés de catégorie 1 et 2 (y compris GPL) et gaz naturel (y compris biogaz affiné, lorsqu'il a été traité conformément aux normes applicables en matière de biogaz purifié et affiné, en assurant une qualité équivalente à celle du gaz naturel, y compris pour ce qui est de la teneur en méthane, et qu'il a une teneur maximale de 1 % en oxygène). La quantité totale susceptible d'être présente dans les installations y compris dans les cavités souterraines (strates naturelles, aquifères, cavités salines et mines désaffectées) étant :			
4718.1	1. Supérieure ou égale à 50 t Quantité seuil bas au sens de l'article R. 511-10 : 50 t. Quantité seuil haut au sens de l'article R. 511-10 : 200 t.	А	1	
4718.2	2. Supérieure ou égale à 6 t mais inférieure à 50 t Quantité seuil bas au sens de l'article R. 511-10 : 50 t. Quantité seuil haut au sens de l'article R. 511-10 : 200 t.	DC	1	

Germany

Water hazard class (WGK) : WGK nwg, Non-hazardous to water (Not classified according to Regulation

Governing Systems for Handling Substances Hazardous to Waters (AwSV);

ID No. 560).

Major Accidents Ordinance (12. BlmSchV)

: Listed in the 12. BlmSchV (Annex I) under: 2.1

- Quantity threshold for operational area under § 1 para. 1

- Sentence 1:50000 kg - Sentence 2:200000 kg

Netherlands

Waterbezwaarlijkheid

: B (5) - Weinig schadelijk voor in het water levende organismen

SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen

: The substance is not listed : The substance is not listed : The substance is not listed

SZW-lijst van reprotoxische stoffen -Borstvoeding

SZW-lijst van reprotoxische stoffen -

: The substance is not listed

Vruchtbaarheid SZW-lijst van reprotoxische stoffen -

: The substance is not listed

Ontwikkeling

Denmark

Class for fire hazard : Class I-1

Store unit : 1 liter Classification remarks

: F+ <Flam. Gas 1A; Press. Gas (Liq.)>; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

For this substance a chemical safety assessment has been carried out

SECTION 16: Other information

Indication	of	changes:
------------	----	----------

ſ	1.3	Details of the supplier	Modified	



Page: 19 / 20

Revision nr: 9.0

Issue date: 25/07/2025

Propane

Supersedes: 11/08/2022

	of the safety data sheet		
16	Other information	Added	

Abbreviations and acronyms:

ABM = Algemene beoordelingsmethodiek
ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit
UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
BTT = Breakthrough time (maximum wearing time)
DMEL = Derived Minimal Effect level
DNEL = Derived No Effect Level
EC50 = Median Effective Concentration
EL50 = Median effective level
ErC50 = EC50 in terms of reduction of growth rate
ErL50 = EL50 in terms of reduction of growth rate
EWC = European waste catalogue
LC50 = Median lethal concentration
LD50 = Median lethal dose
LL50 = Median lethal level
NA = Not applicable
NOEC = No observed effect concentration
NOEL: no-observed-effect level
NOELR = No observed effect loading rate
NOAEC = No observed adverse effect concentration
NOAEL = No observed adverse effect level
N.O.S. = Not Otherwise Specified
OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
PNEC = Predicted No Effect Concentration
Quantitative structure-activity relationship (QSAR)
STOT = Specific Target Organ Toxicity
 0 1
TWA = time weighted average VOC = Volatile organic compounds WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

datasheet

Sources of key data used to compile the : ECHA (European Chemicals Agency). CSR = Chemical Safety Report. Supplier information.

Training advice

: Training staff on good practice. Manipulations are to be done only by qualified and authorised persons.

Other information

: Hazard classification and labeling of petroleum substances in the European Economic Area, Concawe - 2025 (http://www.concawe.eu).

Full text of H- and EUH-statements:

Flam. Gas 1A	Flammable gases, Category 1A
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.



Page : 20 / 20

Revision nr: 9.0

Issue date : 25/07/2025

Propane

Supersedes: 11/08/2022

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Classification according to Regulation (EC) No. 1272/2008 [CLP] Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.